

Catenary Wire

- Wire Kit / Wire / Fixings

NORSLO

- + Steel Catenary wire
- + Wire - Bright Zinc Plate Finish (electro-galvanised)




CW30



CW30
Catenary Wire Kit

	CW30
Description	Catenary Wire Kit - 3mm x 30M Wire 4 x Grips, 2 x Eyes, 1 x 4" Strainer, 1 x Ring Plate & 1 x Hook Plate
Pack Qty	1 Kit
Barcode	5012739605611
Material	Bright Zinc Plate
Product Weight	1458g
Tensile Strength	1780 N/mm ²
Guarantee	1 Year
Conforms To	BS EN 12385-1

Dimensions



6 x 7 + IWS
3mm

	CW30	CW50	CW100
Description	Catenary Wire - 30 Metres	Catenary Wire - 50 Metres	Catenary Wire - 100 Metres
Pack Qty	30 Metre Hank	50 Metre Hank	100 Metre Drum
Barcode	5012739627002	5012739627019	5012739626999
Material	Bright Zinc Plate	Bright Zinc Plate	Bright Zinc Plate
Tensile Strength	1780 N/mm ²	1770 N/mm ²	1770 N/mm ²
Construction	7 x 7	7 x 7	7 x 7
Minimum Breaking Load	577Kg	577Kg	577Kg
Safe Working Load	115Kg	115Kg	115Kg
Safety Factor	5:1	5:1	5:1
Guarantee	1 Year	1 Year	1 Year
Conforms To	BS EN 12385-1	BS EN 12385-1	BS EN 12385-1

Catenary Wire


- Fixings

**GREEN
BROOK**

NORSLO



CWN



WRP



CWE



CWG

	CWN	CWT	WRP	WHP	WP	CWE	CWG	GA3
Description	Nylon Cable Dispenser	4" Strainer / Tensioner	Ring Plate	Hook Plate	Wall Plate	Eye	Grip	Gripple 2-3mm
Pack Qty	1	1	1	1	1	25	1	10
Barcode	5012739 617751	5012739 617768	5012739 625893	5012739 625770	5012739 646065	5012739 626982	5012739 617744	5012739 619618
Material	Nylon / Steel	Hot Dip Galvanised Steel	Hot Dip Galvanised Steel	Hot Dip Galvanised Steel	Hot Dip Galvanised Steel	Galvanised Steel	Galvanised Steel	Galvanised Steel
Product Weight	15g	93g	170g	120g	111g	5g	8g	26g
Guarantee	1 Year							
Conforms To	BS EN 12385-1							



CWT



WHP



WP



GA3

TECHNICAL DATA SHEET

Catenary Wire

- Fixings Dimensions

SIZE	A	W	C	H	h	NW
4MM	4.5-5.0	≈6.5	13*1	21-23	3.0-3.5	0.8g

CWE

SIZE	M	L	W	H	d1	L1	L2	d2	NW
M8 x 110	M8	110	20	10	11	75	85	11	93g

CWT

SIZE	A	B	C	D	E	F	G	NW
3	18	—	9	4	9	—	16	8
5	21	—	11	5	10	—	20	13
6	24	—	11	5	12	—	21	15
8	28	—	12.5	6	14	—	27	25

CWG

Catenary Wire

- Fixings Dimensions

