

FEATURES

- Used to protect cables from, sharp edges



**GO16
Open Grommet**



**GS1
Grommet Strip**

TECHNICAL INFO

| Product | GS1 | GS2 | GS3 | GS4 | GS5 |
|-----------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| Description | Grommet Strip | | | | |
| Pack Qty | 50M Reel | | | 25M Reel | |
| Barcode | 5012739 619991 | 5012739 620003 | 5012739 620010 | 5012739 620027 | 5012739 620034 |
| Panel Thickness | 1-2mm | 1.5 - 2.8mm | 2.7 - 3.8mm | 3.7 - 5.2mm | 5.3 - 6.8mm |
| Temperature | -20°C to +65°C | | | | |
| Guarantee | 1 Year | | | | |

TECHNICAL INFO

| Product | GO16 | GO20 | GO25 | GO32 | GO38 | GO50 |
|-------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| Description | Open Grommet | | | | | |
| Pack Qty | 100 | | | 50 | 25 | |
| Barcode | 5012739 611285 | 5012739 611292 | 5012739 611308 | 5012739 611315 | 5012739 611322 | 5012739 611339 |
| Dimensions | Ø16mm | Ø20mm | Ø25mm | Ø32mm | Ø38mm | Ø50mm |
| Temperature | -35°C to +70°C | | | | | |
| Guarantee | 1 Year | | | | | |



**GSBT20
Semi-Blind Grommet**

TECHNICAL INFO

| Product | GSBT20 | GSBT25 | GSBT32 | GSBT38 | GSBT50 |
|-----------------|--------------------|-------------------|-------------------|-------------------|-------------------|
| Description | Semi-Blind Grommet | | | | |
| Pack Qty | 100 | 50 | 25 | 20 | |
| Barcode | 5012739 611353 | 5012739 611360 | 5012739 611377 | 5012739 611384 | 5012739 611391 |
| Panel Thickness | Ø20mm | Ø25mm | Ø32mm | Ø38mm | Ø50mm |
| Temperature | -35°C to +70°C | | | | |
| Guarantee | 1 Year | | | | |

TECHNICAL INFO

| Product | SG020 | SG025 | SG032 |
|--------------------|---------------------------|-------------------|-------------------|
| Description | Quick Fit Open Grommet | | |
| Pack Qty | 100 | | 50 |
| Barcode | 5012739 611438 | 5012739 611445 | 5012739 611452 |
| Dimensions | Ø20mm | Ø25mm | Ø32mm |
| Temperature | -35°C to +70°C | | |
| Guarantee | 1 Year | | |



SG020
Quick Fit
Open Grommet

TECHNICAL INFO

| Product | SGB20 | SGB25 | SGB32 |
|--------------------|----------------------------|-----------------|-------------------|
| Description | Quick Fit Blanking Plug | | |
| Pack Qty | 100 | | 50 |
| Barcode | 5012739 611407 | 5012739 6114 | 5012739 611421 |
| Dimensions | Ø20mm | Ø25mm | Ø32mm |
| Temperature | -35°C to +70°C | | |
| Guarantee | 1 Year | | |



SGB20
Quick Fit
Blanking Plug

TECHNICAL INFO

| Product | GBP16 | GBP20 | GBP25 | GBP32 | GBP38 | GBP50 |
|--------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| Description | Blanking Plug | | | | | |
| Pack Qty | 100 | | | 50 | 25 | |
| Barcode | 5012739 611223 | 5012739 611230 | 5012739 611247 | 5012739 611254 | 5012739 611261 | 5012739 611278 |
| Dimensions | Ø16mm | Ø20mm | Ø25mm | Ø32mm | Ø38mm | Ø50mm |
| Temperature | -35°C to +70°C | | | | | |
| Guarantee | 1 Year | | | | | |



GBP32
Blanking

TECHNICAL INFO

| Product | B20 | B25 |
|--------------------|-------------------|-------------------|
| Description | Conduit Bushes | |
| Pack Qty | 100 | |
| Barcode | 5012739 611209 | 5012739 611216 |
| Dimensions | Ø20mm | Ø25mm |
| Temperature | -20°C to +65°C | |
| Guarantee | 1 Year | |



Conduit Bushes



Open Grommet



Quick Fit
Blanking Plug



Blanking Plug

| Part No | Nominal Panel Hole | Panel Thickness | Max Cable Size |
|---------|--------------------|-----------------|----------------|
| GO16 | 16mm | 1.6mm | 11.9mm |
| GO20 | 20mm | 1.6mm | 15.7mm |
| GO25 | 25mm | 1.6mm | 19.4mm |
| GO32 | 32mm | 1.6mm | 23.1mm |
| GO38 | 38mm | 1.6mm | 31.7mm |
| GO50 | 50mm | 1.6mm | 43.8mm |
| SGB20 | 20mm | 1.6mm | - |
| SGB25 | 25mm | 1.6mm | - |
| SGB32 | 32mm | 1.6mm | - |
| SGO20 | 20mm | 1.6mm | 15.7mm |
| SGO25 | 25mm | 1.6mm | 19.5mm |
| SGO32 | 32mm | 1.6mm | 26.5mm |
| GBP16 | 16mm | 1.6mm | - |
| GBP20 | 20mm | 1.6mm | - |
| GBP25 | 25mm | 1.6mm | - |
| GBP32 | 32mm | 1.6mm | - |
| GBP38 | 38mm | 1.6mm | - |
| GBP50 | 50mm | 1.6mm | - |
| GSBT16 | 16mm | 1.6mm | - |
| GSBT20 | 20mm | 1.6mm | - |
| GSBT25 | 25mm | 1.6mm | - |
| GBPT32 | 32mm | 1.6mm | - |
| GBPT38 | 38mm | 1.6mm | - |
| GBPT50 | 50mm | 1.6mm | - |



Quick Fit
Open Grommet



Semi-Blind Grommet